



**DODGE**

FLEET.CHRYSLER.COM // 1-800-999-FLEET(3533)

FLT-2016\_0031



## FCA | FLEET LAW ENFORCEMENT

### TECHNICAL AND SPECIFICATIONS GUIDE



**BUILT TO BE**  
**AT THE READY**




When duty calls, we listen and respond—with a complete Police and Special Service portfolio that leaves little to be desired and the competition far behind. Now, the legendary Dodge Charger Pursuit—in both rear-wheel- and all-wheel-drive configurations—features an all-new available 12.1-inch integrated display screen. All in all, this is control, command and capability vying for top of the class.

# DODGE CHARGER PURSUIT



What carries weight around here also carries clout. All-new for Dodge Charger Pursuit police vehicles is a factory-installed available integrated touchscreen display that allows relocation of the laptop into the trunk. Measuring 12.1 inches on the diagonal, it's a huge presence that enlarges interior room for front occupants and adds to the safety factor by eliminating hard contact points in the event of a collision.

STANDARD 3.6L PENTASTAR® V6 (RWD) // STANDARD 5.7L HEMI® V8 (AWD) // 5-SPEED AUTOMATIC TRANSMISSION WITH AUTOSTICK // ELECTRIC POWER STEERING (RWD) // HIGH-STRENGTH STEEL FRAME AND ROOF STRUCTURE // STANDARD VEHICLE SYSTEM INTERFACE MODULE // AVAILABLE FLEET PARK ASSIST<sup>TM</sup> GROUP // AVAILABLE BALLISTIC DOOR PANELS



# RAM 1500 SPECIAL SERVICE

It's a Ram, through and through—and that translates into the total capability you need for Special Service applications. This spacious Crew Cab offers one of the largest interiors in the business with unique in-floor storage bins, bolstered by towing that reaches 10,190 lb\* and hauling capacity up to 1,540 lb\* with a 5-foot 7-inch bed. This 5.7L HEMI® V8-powered Ram 1500 makes its case with outstanding standard features.

5.7L HEMI V8 WITH VVT AND MDS/FUEL SAVER TECHNOLOGY // 395 HP, 410 LB-FT OF TORQUE // CREW CAB INTERIOR ROOM // 4x4 CAPABILITY, STANDARD // FACTORY-INSTALLED SPRAY-IN BEDLINER // CLASS IV HITCH RECEIVER // 220-AMP ALTERNATOR // AVAILABLE RAMBOX® CARGO MANAGEMENT SYSTEM (SHOWN ABOVE) \*When properly equipped.





## DODGE DURANGO SPECIAL SERVICE



Multiple improvements over the civilian version of Durango set this Special Service edition apart. Here, it's all about providing extra steps to bolster safety, security and capability—all in a package that ensures superb comfort for people, cargo and even K-9 units. Add an all-wheel-drive version, and you've got every characteristic you need in an SUV.

STANDARD 3.6L PENTASTAR® V6 WITH STOP/START TECHNOLOGY FOR IMPROVED FUEL EFFICIENCY // 290 HP, 260 LB-FT OF TORQUE // TORQUEFLITE® 8-SPEED AUTOMATIC TRANSMISSION // AVAILABLE 5.7L HEMI® V8 // 360 HP, 390 LB-FT OF TORQUE // AVAILABLE TOWING PREP PACKAGE FOR 7,400-LB TRAILERING // UPGRADED 800 COLD CRANKING AMP BATTERY // HEAVY-DUTY ENGINE COOLING // HEAVY-DUTY 220-AMP ALTERNATOR // HEAVY-DUTY BRAKING



## RAM PROMASTER




With 15 possible configurations, available High Roof and generous 159-inch wheelbase, Ram ProMaster® Cargo Van offers outstanding opportunities for customization—in particular, for detainee transport. Nearly vertical side walls combined with impressive standard safety and security features make this van a natural choice.


STANDARD 3.6L PENTASTAR® V6, BEST-IN-CLASS<sup>(2)</sup> STANDARD V6 280 HP WITH 260 LB-FT OF TORQUE // AVAILABLE 3.0L ECODIESEL I4 // FRONT-WHEEL DRIVE // THREE WHEELBASE OPTIONS // FOUR AVAILABLE BODY LENGTHS // TWO ROOF HEIGHTS // ULTRA-TIGHT TURNING DIAMETER // AVAILABLE HIGH-MOUNTED PARKVIEW® REAR BACK-UP CAMERA<sup>(1)</sup> // CONVENIENT EASY-ENTRY 21-INCH LOAD FLOOR HEIGHT




## 3.6L PENTASTAR® V6



## 5.7L HEMI® V8



## 3.0L ECODIESEL I4



ENGINES	DODGE CHARGER PURSUIT	RAM 1500 SPECIAL SERVICE	DODGE DURANGO SPECIAL SERVICE	RAM PROMASTER
3.0L EcoDiesel I4	Not available	Not available	Not available	174 hp @ 3,600 rpm 295 lb-ft of torque @ 1,400 rpm
3.6L Pentastar® V6	292 hp @ 6,350 rpm 260 lb-ft of torque @ 4,800 rpm 18 city / 26 hwy / 21 combined mpg <sup>(9)</sup>	Not available	290 hp @ 6,400 rpm 260 lb-ft of torque @ 4,800 rpm 18 city / 25 hwy / 20 combined mpg <sup>(9)</sup> (RWD) 17 city / 24 hwy / 19 combined mpg <sup>(9)</sup> (AWD)	280 hp @ 6,400 rpm 260 lb-ft of torque @ 4,175 rpm
5.7L HEMI® V8	370 hp @ 5,250 rpm 395 lb-ft of torque @ 4,200 rpm 16 city / 25 hwy / 19 combined mpg <sup>(9)</sup> (RWD) 15 city / 23 hwy / 18 combined mpg <sup>(9)</sup> (AWD)	395 hp @ 5,600 rpm 410 lb-ft of torque @ 3,950 rpm 13 city / 19 hwy / 15 combined mpg <sup>(9)</sup>	360 hp @ 5,150 rpm 390 lb-ft of torque @ 4,250 rpm 14 city / 23 hwy / 17 combined mpg <sup>(9)</sup> (RWD) 14 city / 22 hwy / 16 combined mpg <sup>(9)</sup> (AWD)	Not available

\*Based on 2015 EPA estimates

## TRANSMISSIONS

**5-SPEED AUTOMATIC WITH AUTOSTICK (W5A580) – CHARGER PURSUIT**

Exclusive to Dodge Charger Pursuit, AutoStick provides critical up- and downshifting for phenomenal control on the highway—while meeting the varying and unpredictable dynamics of typical city and suburban driving. Driver-oriented and racetrack-inspired, it offers convenient, electronically controlled rocker switches on the column-mounted shifter; access and response are instant. Standard on RWD and AWD Charger Pursuit.

**TORQUEFLITE® 8-SPEED AUTOMATIC (8HP70) – DURANGO SPECIAL SERVICE**

This larger, more robust version of the 845RE 8-speed offers all of the same features—but enlarges the application to meet the power output of the 5.7L HEMI V8. It's a very real contribution to the impressive Dodge Durango fuel efficiency. This transmission also features the center console-mounted Rotary Shifter. Available on Durango Special Service with the 5.7L HEMI V8.

**TORQUEFLITE 8-SPEED AUTOMATIC (845RE) – DURANGO SPECIAL SERVICE**

Compact, durable, efficient: the 845RE transmission delivers exceptional stats, with smooth shifting, fill-for-life fluid and the center console-mounted Rotary Shifter. All contribute to fuel efficiency. Standard: Dodge Durango Special Service with the 3.6L Pentastar V6.

**6-SPEED AUTOMATIC (65RFE) – RAM 1500 SPECIAL SERVICE**

This service-grade component reflects made-for-industry engineering, with a super-low sixth-gear ratio of 0.67:1 that functions as an additional overdrive to help reduce engine speeds and mitigate engine wear. Ancillary benefits address the welcome reduction of long-term ownership costs. Standard powertrain partner on Ram 1500 with the 5.7L HEMI V8.

**6-SPEED AUTOMATIC (62TE) – RAM PROMASTER**

Mated to the 3.6L Pentastar V6 and refined for commercial demands, this long-proven component ensures effortless and economical shifting. Engine speeds change less with each shift, contributing to fuel efficiency. Standard on Ram ProMaster.

**6-SPEED DUAL ACTIVE DRIVE AUTOMATED MANUAL – RAM PROMASTER**

Exclusive to Ram ProMaster models, this component is all about business, allowing driver-operated (manual) shifting of gears when needed or desired—but with no clutch pedal at all. In automated mode, it delivers all the conveniences of an automatic. Manual or automated control is entirely up to the operator. Mated to the available 3.0L EcoDiesel I4 on Ram ProMaster models only.

**CHARGER PURSUIT**

Generous interior space both front and rear for driver and passengers, sculpted front seats that accommodate a full duty belt, and a cavernous trunk. Ready to roll, Dodge Charger Pursuit offers total capability and capacity to do the job right.


**CRITICAL MEASURES\***

EPA Passenger Volume (cu ft)	104.7
EPA Total Volume Index (cu ft)	121.2
EPA Trunk Volume (cu ft)	16.5
Fuel Tank Capacity (gal)	18.5
Turning Diameter (ft) (RWD / AWD)	37.7 / 38.7
Axle Ratios (:1)	
3.6L V6 (std / opt)	2.62 / 3.07
5.7L V8 RWD (std)	2.62
5.7L V8 AWD	3.07
Head Room	
— Front	38.6
— Rear	36.6
Shoulder Room	
— Front	59.5
— Rear	57.9
Hip Room	
— Front	56.2
— Rear	56.1
Leg Room	
— Front	41.8
— Rear	40.1
Seating Capacity	
— Front	2 adults
— Rear	3 adults

**DIMENSIONS/SPECIFICATIONS\*****EXTERIOR**

Wheelbase		120.2
Overall Length		198.4
Overall Height		58.5
Overall Width		75.0
Front Track		63.4
Rear Track		63.8
Curb Weight (lb, est)	3.6L V6 RWD	4,119
	5.7L V8 RWD	4,332
	5.7L V8 AWD	4,485
Ground Clearance		5.1
Fuel Tank Capacity (gal)		18.5
Turning Diameter (ft) (RWD / AWD)		37.7 / 38.7
Axle Ratio (:1) (std) (RWD / AWD)		2.62 / 3.07

\*All dimensions are in inches unless otherwise noted.



All dimensions given in inches.

# EXTERIOR COLORS



Billet Silver Metallic



Bright White



Granite Crystal Metallic



Ivory Tri-Coat



Bright Silver Metallic



Electric Blue Pearl



Midnight Blue Pearl



Ranger



Jazz Blue Pearl



Phantom Black Tri-Coat



Pitch Black



Redline Red Tri-Coat



MSP Blue



White Gold



Sheriff Tan

# WHEELS



RWD  
18-inch  
Steel Wheel  
Standard (WEJ)



AWD  
18-inch  
Steel Wheel  
Standard (WEG)



RWD  
18-inch  
Wheel Covers  
Available (W8A)



AWD  
18-inch  
Wheel Covers  
Available (W8B)

STANDARD FEATURES AND OPTIONS	3.6L	5.7L	5.7L AWD	NOTES
<b>MECHANICAL FEATURES</b>				
3.6L Pentastar® V6 24V VVT Engine (ERB)	•			
5.7L HEMI® V8 VVT Engine with Fuel Saver Technology (EZH) — Includes 215-mm rear axle (DPP) and performance exhaust (NEA)		•	•	
Five-speed AutoStick Automatic Transmission (DGJ)	•	•	•	
All-wheel Drive			•	
Alternator — 220-amp (BAJ)	•	•	•	
Automatic Headlamps (LMG)	•	•	•	
Battery — 800-amp maintenance-free (BCF)	•	•	•	
Brake Assist (BGE)	•	•	•	
Brake/Park Interlock (XSL)	•	•	•	
Electric Power Steering (SBL)	•	•		
Electro-hydraulic Power Steering (XXK)			•	
Engine Cooling — Severe-duty (XDK)	•	•	•	
Engine Block Heater (NHK)	0	0	0	
Engine Hour Meter (XAX)	•	•	•	
Engine Oil Cooler (NHA)	•	•	•	
Fuel Tank — 18.5-gallon (NGA)	•	•	•	
Heated Washer Fluid and De-icer (XPD)	•	•	•	
Heavy-duty Suspension (SDB)	•	•	•	
High-speed Engine Controller (NZ5) (packaged with 5.7-liter HEMI V8)		•	•	
Load Leveling and Height Control (SER)	•	•	•	
Power Accessory Delay (JKY)	•	•	•	
Power Steering Cooler (NHF)			•	
Rear Axle — 195-mm (DR2)	•			
— 220-mm (DR3) (included with 5.7-liter HEMI V8)		•		
— 230-mm (DR4) (included with AWD)			•	

STANDARD FEATURES AND OPTIONS	3.6L	5.7L	5.7L AWD	NOTES
<b>MECHANICAL FEATURES (CONTINUED)</b>				
Rear Axle Ratio — 2.62 RWD (DLL)	•	•		
— 3.07 (DMM)	0		•	
Speedometer — 160-mph (JCC)	•	•	•	
Tip Start (XBN)	•	•	•	
<b>WHEELS AND TIRES</b>				
P225/60R18 BSW Goodyear® Performance Tires (TWW)	•	•	•	
P245/55R18 BSW Goodyear Performance Tires (TYL)	0	0	0	
Full-size Spare (TBW) (includes vinyl trunk liner and cover (CKL))	•	•	•	
Full-size Spare Delete (TBF) — Includes Tire Service Kit	F	F	F	
18- x 7.5-inch Steel Wheels on RWD (WEJ)	•	•		
18- x 7.5-inch Steel Wheels on AWD (WEG)			•	
Bright Hub Caps (WMH) (standard on (WEJ) and (WEG) wheels)	•	•	•	
18-inch Wheel Covers (W8A) on RWD (included with Street Appearance Group (AEB))	0/P	0/P		
18-inch Wheel Covers (W8B) on AWD (included with Street Appearance Group (AEB))			0/P	
<b>EXTERIOR FEATURES</b>				
Acoustic Front-door Glass (GAP)	•	•	•	
Acoustic Windshield (GAK)	•	•	•	
All-wheel-drive Badge			•	
Black Exterior Mirrors (LE4) (available with Police special paints (P76), (P79), (PB5), (PB8), (PS2), (PWL) and (P82))	P	P	P	
Black Headlamp Bezels (MFA)	•	•	•	
Body-color Door Handles (MNK) (not available with Police special paints (P76), (P79), (PB5), (PB8), (PS2), (PWL) and (P82))	•	•	•	
Body-color Exterior Mirrors (LEP) (not available with Police special paints (P76), (P79), (PB5), (PB8), (PS2), (PWL) and (P82))	•	•	•	

STANDARD FEATURES AND OPTIONS	3.6L	5.7L	5.7L AWD	NOTES
<b>EXTERIOR FEATURES (CONTINUED)</b>				
Body-color Lower Bodyside Cladding (MRC)	•	•	•	
Capless Fuel Filler (XJM)	•	•	•	
Cargo Compartment Dress-up (CKM)	•	•	•	
Charger Badge (MT1)	•	•	•	
Dual Rear Exhaust (NER)	•	•	•	
Dual-note Electric Horns (JJB)	•	•	•	
Equipment Mounting Bracket (XFX) (requires Mini Floor Console (CUM); not available with Full-length Floor Console (CUF) or Police Floor Console (CUG))	0	0	0	
Front and Rear Solar-Control Glass (GBC)	•	•	•	
Front License Plate Bracket (MDA)	•	•	•	
Gloss Black Grille with Gloss Black Crosshairs (MAE)	•	•	•	
Lights and Lamps — Bifunctional halogen projector headlamps (LMC)	•	•	•	
— Black left spot lamp (LNF)	0	0	0	
— CHMSL lamp (LPA)	•	•	•	
— LED spot lamps (LNX) (requires Black left spot lamp (LNF))	0	0	0	
— Matching right spot lamp (LNA) (requires Black left spot lamp (LNF))	0	0	0	
— Underhood lamp (LDA)	•	•	•	
Spare Tire Relocation Bracket (TBH)	0	0	0	
Variable/Intermittent Windshield Wipers (JHA)	•	•	•	
White Graphics — All doors (M2C)	F	F	F	
— Deck lid (M3H)	F	F	F	
— Front doors (M2B)	F	F	F	
— Hood (M3F)	F	F	F	
— Roof (M3G)	F	F	F	

STANDARD FEATURES AND OPTIONS	3.6L	5.7L	5.7L AWD	NOTES
<b>INTERIOR FEATURES</b>				
12.1-inch Integrated Touchscreen Display (RDY) — Included with Integrated Display Package (AV2)	P	P	P	
Air Conditioning with Dual-Zone Temperature Control (HAD)	•	•	•	
Air Filtering (JMA)	•	•	•	
Black Interior Accents (XSB)	•	•	•	
Column-mounted Automatic Shift Lever (CV8)	•	•	•	
Compass Gauge (JFA)	•	•	•	
Deactivate Rear Doors and Windows (CW6)	F	F	F	
Floor Covering — Black vinyl (CKJ) not available with Street Appearance Group (AEB)	•	•	•	
— Delete carpet (CK9) (requires Street Appearance Group (AEB) and Black vinyl floor covering (CKJ) and replacement of full console with mini console (CM8))	F	F	F	
— Floor carpet (CKD) (includes front and rear floor mats (CLZ))	0	0	0	
— Front and rear floor mats (CLZ) (included with (CKD))	P	P	P	
Front Height-adjustable Shoulder Belts (CGD)	•	•	•	
Instrument Cluster with Tachometer (JAY)	•	•	•	
Integrated Window Antenna (RDL)	•	•	•	
Leather-wrapped Steering Wheel (SCV)	•	•	•	
Lighting, Interior — Front dome lamp (LCK)	•	•	•	
— Front reading/map lamps (LBG) (included with Street Appearance Group (AEB))	0	0	0	
— Glove box lamp (LBC)	•	•	•	
— Trunk lamp (LDC)	•	•	•	

• = Standard. F = Fleet. 0 = Optional. P = Available within Package noted in parentheses.

STANDARD FEATURES AND OPTIONS	3.6L	5.7L	5.7L AWD	NOTES
<b>INTERIOR FEATURES (CONTINUED)</b>				
Mirrors — Power, heated with manual foldaway (GUK) (included with Sport Appearance Group (AEB))	F	F	F	
— Power mirrors with manual foldaway (GTF)	•	•	•	
— Rearview day/night mirror with microphone (GR4)	•	•	•	
Non-adjustable Pedals (XAB)	•	•	•	
Outside Temperature Display (LAH)	•	•	•	
Passenger Assist Handles (CSR)	•	•	•	
Power Adjustable Pedals — Included with Convenience Group 1 (AHM)	0	0	0	
Power Driver and Front-passenger Seats (JPT/JRN) — Included with Convenience Group 1 (AHM)	0	0	0	
Power Front Windows with One-touch Up and Down (JP3)	•	•	•	
Power Trunk Lid Release (JPC)	•	•	•	
Rear Window Defroster (GFA)	•	•	•	
Remote Fuel Door Release (JKD)	•	•	•	
Seats — Fixed rear (CFW)	•	•	•	
— Heavy-duty cloth bucket and rear bench (*C8)	•	•	•	
— Heavy-duty cloth bucket with vinyl rear (*X5)	F	F	F	
— Power six-way driver's (JPS)	•	•	•	
Solar-Control Glass (GAM)	•	•	•	
Speed Control (NHM)	•	•	•	
Spot Lamp Prep (LNQ)	•	•	•	
Sun Visors with Illuminated Vanity Mirrors (GNC)	•	•	•	
Tilt/Limited Telescoping Steering Column (SUE)	•	•	•	
Tire Pressure Monitoring Display (XGM)	•	•	•	
<b>UCONNECT® MULTIMEDIA</b>				
12-volt Center Console Power Outlet (JKW)	•	•	•	
Audio Jack Input for Mobile Devices (RSU)	•	•	•	

STANDARD FEATURES AND OPTIONS	3.6L	5.7L	5.7L AWD	NOTES
<b>UCONNECT MULTIMEDIA (CONTINUED)</b>				
Customer-defined Color Display Monitor (LAT)	•	•	•	
Five-inch Touchscreen Display (RFU)	•	•	•	
Remote USB Port (RSX)	•	•	•	
Six Speakers (RC6)	•	•	•	
Steering Wheel-mounted Audio Controls (RDZ)	•	•	•	
Uconnect 5.0 AM/FM/Bluetooth® Media Hub (SD card reader/USB port/auxiliary jack) (RA2) and Integrated Voice Command <sup>(3)</sup> with Bluetooth	•	•	•	
<b>KEYS</b>				
Additional Non Key-alike Fobs (GXQ) (not available with (GXA), (GXE), (GXF) or (GXG))	F	F	F	
Entire Fleet-alike Key — (FREQ 1) (GXF) (not available with (GXG), (GXA) or (GXE))	F	F	F	
— (FREQ 2) (GXA) (not available with (GXE), (GXF) or (GXG))	F	F	F	
— (FREQ 3) (GXE) (not available with (GXF), (GXA) or (GXG))	F	F	F	
— (FREQ 4) (GXG) (not available with (GXF), (GXA) or (GXE))	F	F	F	
<b>CONSOLES</b>				
Full-length Floor Console (CUF) — Included with Street Appearance Group (AEB)	P	P	P	
Mini Floor Console (CUM)	•	•	•	
Police Floor Console (CUG)	F	F	F	
<b>SAFETY &amp; SECURITY</b>				
Advanced Multistage Front Air Bags <sup>(4)</sup> (CG3)	•	•	•	
All-Speed Traction Control (BNP)	•	•	•	
Center Rear Three-point Seat Belt (CG6)	•	•	•	
Child Seat Anchor System (LATC) (CF4)	•	•	•	
Daytime Running Headlamps, Dedicated (LM5)	•	•	•	
Driver- and Passenger-seat Anti-stab Panels (CBT)	F	F	F	

STANDARD FEATURES AND OPTIONS	3.6L	5.7L	5.7L AWD	NOTES
<b>SAFETY &amp; SECURITY (CONTINUED)</b>				
Electronic Stability Control (ESC) <sup>(5)</sup> (BNB)	•	•	•	
Front-passenger Seat Belt Alert (LAX)	•	•	•	
Hill Start Assist <sup>(6)</sup> (BNG)	•	•	•	
Hydraulic Assist Brake Booster (BPT)	•	•	•	
Inside Emergency Trunk Lid Release (JKK)	•	•	•	
Keyless Enter 'n Go™ (GX4)	•	•	•	
ParkSense® Rear Park Assist <sup>(1)</sup> System (XAA) (included with Fleet Park Assist <sup>(1)</sup> Group (AMV))	0	0	0	
Police ABS Four-wheel Heavy-duty Disc Brakes (BR9) (includes All-Speed Traction Control (BMP))	•	•	•	
Rain Brake Support (BHC)	•	•	•	
Reactive Head Restraints <sup>(7)</sup> (CBD)	•	•	•	
Ready Alert Braking (BHD)	•	•	•	
Rear-door Child Protection Locks (GXT)	•	•	•	
Remote Proximity Keyless Entry (GXD)	•	•	•	
Secure Park (AXR)	•	•	•	
Security Alarm (LSA)	F	F	F	
Sentry Key® — Theft Deterrent System (GXX)	•	•	•	
Speed-sensitive Power Door Locks (JPH)	•	•	•	
Supplemental Front Seat-mounted Side Air Bags <sup>(4)</sup> (CJ1)	•	•	•	
Supplemental Side-curtain Front and Rear Air Bags <sup>(4)</sup> (CJ2)	•	•	•	
<b>PACKAGES &amp; EQUIPMENT GROUPS</b>				
Convenience Group 1 (AHM) — Includes power adjustable pedals (XAP), power driver and front-passenger seats (JPT), and power driver/passenger four-way lumbar adjuster (JRN)	F	F	F	
Driver- and Passenger-side Ballistic Door Panels (XDV/XDG)	F	F	F	
Fleet Park Assist Group (AMV) — Includes ParkSense Rear Park Assist <sup>(1)</sup> System (XAA) with ParkView® Rear Back-Up Camera <sup>(1)</sup> (XAC)	F	F	F	

STANDARD FEATURES AND OPTIONS	3.6L	5.7L	5.7L AWD	NOTES
<b>PACKAGES &amp; EQUIPMENT GROUPS (CONTINUED)</b>				
Integrated Display Package (AV2) — Includes 12.1-inch touchscreen display (RDY), Uconnect® 8.4 radio (RA3), navigation-capable with GPS input (JLA/JLP) and Integrated Voice Command <sup>(3)</sup> with Bluetooth® (XRB)	F	F	F	
Max Flow Package (AYJ) — Includes lower grille texture — Police	F	F	F	
Patrol Package Base Prep (AYE) — Includes front and rear wire harness (XPW), Power Distribution Center (XWK), siren speaker and bracket (XWP), and trunk tray and cooling fan (XWQ)	F	F	F	
Patrol Package Wiring Prep Package (AYW) — Includes front and rear wire harness (XPW) and Power Distribution Center (XWK)	F	F	F	
Police Group (AHB)	•	•	•	
Special Service Group (AHV)	•	•	•	
Street Appearance Group (AEB) — Includes 18-inch wheel covers (W8A), exterior mirrors with heating element (NHJ), front/rear climate control outlets (XGA), front reading/map lamps (LBG), full-length floor console (CUF), illuminated front cup holders (CWP) and power, heated mirrors with manual foldaway (GUK) (requires Redline Red Tri-Coat, Bright White, Pitch Black, Granite Crystal Metallic, Billet Silver Metallic, Jazz Blue, Ivory Tri-Coat or Phantom Black Tri-Coat Pearl exterior colors)	0	0	0	

• = Standard. F = Fleet. 0 = Optional. P = Available within Package noted in parentheses.



# ARMED FOR UPFITS

## PATROL PACKAGE BASE PREP (AYE)

Our comprehensive Police Prep Package is the start; all options build on this. Included:

- Front and Rear Wire Harness
- Power Distribution Center
- Siren Speaker and Bracket
- Slide-out Trunk Equipment Tray
- Cooling Fan



## ONCE YOU'RE ARMED WITH THE BASE PREP PACKAGE, UPFITS ARE EASY. OUR À LA CARTE ORDERING SYSTEM FROM THE MOPAR® CUSTOM SHOP SIMPLIFIES AND SPEEDS UP THE PROCESS.


One important aspect of Charger Pursuit is **not** the same: **our new turnkey solution to customize your cruiser to your exact needs.** Easy-to-order à la carte aftermarket products from established suppliers give you competitive pricing, faster responses and convenient invoicing through your dealer. **Every one is specifically engineered for Pursuit and covered by our 3-Year/36,000-Mile Warranty.<sup>(8)</sup>**

### POLICE CENTER CONSOLE (CUG)

Aluminum and steel console measures 24 inches in length, with a tilt-and-swivel armrest, cup holder, filler plates to enclose console top and two ports for 12-volt ignition power; includes standard USB and auxiliary input jacks for mobile devices.

### BALLISTIC DOOR PANELS (XDV/XDG)

Our available ballistic front-door panels are so robust, they can repel calibers with such strength that exceeds the standards established by the National Institute of Justice (NIJ) for Level III protective devices.



## COMPREHENSIVE: THE WIRE PREP PACKAGE (AYW) AND POWER DISTRIBUTION CENTER (XWK)

Electrical engineering at its best: full wiring harness and distribution center for fast, economical upfits and add-ons.

- 220-amp Power Distribution Center
- Two 100-amp main fuses and relays for all added circuits
- Thirteen pre-wired light head locations with power for lightbars and interior lighting needs
- Clearly labeled circuits for all police equipment, with coded wires and connectors throughout the system
- Complete system grounding points for easy and reliable connections
- Horn Sense circuits with trunk accessibility to this frequently used device
- Timer jumper wire with Ignition Sense—a design that simplifies the installation of cameras, computers, ticket printers and modems

### STEEL SEATBACK PANELS (CBT)

These solid inserts significantly reduce the chances of injury to officers should a detainee in the rear seat possess a hidden sharp object.

### VINYL GRAPHIC VEHICLE WRAPS

Chip-resistant, ready to protect and under warranty, these wraps personalize the identity of your Charger Pursuit, and fit with custom-cut accuracy. Wraps can be applied to the front doors only (M2B), all doors (M2C), roof (M3G), hood (M3F) and deck lid (M3H).

### WIRE PREP PACKAGE (AYW)

Indispensable to police operations, the Wire Prep Package includes all harnesses for easy aftermarket installation of electronics. Complete details above.

### SPARE TIRE RELOCATION BRACKET (TBH)

Required with the Base Prep Package. Spare tire is relocated to fit neatly beneath the trunk tray.

## DIMENSIONS\*/SPECIFICATIONS† RAM 1500 (SWB)

EXTERIOR	CREW CAB 4x4
Wheelbase	140.5
Box Length	5' 7"
Overall Length including Rear Bumper	229
Overall Height — Empty	77.5
Overall Width	79.4
Track (front / rear)	68.2 / 67.5
Tailgate Load Height	34.9
Max GVWR (lb)	6,900
Max Payload (lb)	1,540
Fuel Tank Capacity (gal)	26 / 32
Fuel Economy (city / highway) <sup>(9)</sup>	13 / 19

## INTERIOR

Head Room (front / rear)	41 / 39.9
Hip Room (front / rear)	63.2 / 63.2
Shoulder Room (front / rear)	66 / 65.7
Leg Room (front / rear)	41.0 / 40.3
Seating Capacity (max)	6

RAMBOX® SYSTEM BIN SIZES	5'7" CARGO BED
Height at A	14.4
Length at B	51.6
Height at C	18.9
TOTAL VOLUME (both bins) (cu ft)	7.3

## DIMENSIONS\*/SPECIFICATIONS† RAM 1500 (SWB)

PICKUP BOX*	
Number of Stake Pockets (per side)	2
Back of Cab to Pickup Box	0.6
Maximum Length at Floor	67.4
Max Length with Open Tailgate	91.5
Depth of Box	20.0
Box Floor to Top of Cab	43.5
Back of Cab to Center of Rear Axle	28.0
Cargo Volume <sup>‡</sup> (cu ft)	50.3
Width between Wheelhousings	51
Stake Pocket Size	2.0 x 1.3
Maximum Width, Wall-to-Wall	66.4

\*All dimensions are in inches unless otherwise noted. †All specifications shown are based on 2015 MY vehicle information.  
‡Manufacturer's estimate. Depending on powertrain combination; will vary depending on driving habits.

POWERTRAIN	TRANSMISSION	TRANSFER CASE
5.7L HEMI® V8 with Multi-Displacement System (MDS)/Fuel Saver Technology and Variable Valve Timing (VVT): 395 hp @ 5,600 rpm 410 lb-ft of Torque @ 3,950 rpm	65RFE 6-SPEED AUTOMATIC	PART-TIME BW 44-45


## RAM 1500 SPECIAL SERVICE GROUP

5.7L HEMI® V8 with MDS/Fuel Saver Technology and VVT: 395 hp and 410 lb-ft of Torque	•
220-amp Alternator (BAJ)	•
Low-back 40/40 Front Cloth Bucket Seats with 10-way Power Driver's Seat; Vinyl Fold-up Rear Bench Seat; Center Console Delete (*D5)	•
Column-mounted Shifter	•
115-volt Auxiliary A/C Outlet	•
Spot Lamp Wiring Prep	•
Reinforced Door Hinges	•

## RAM 1500 SPECIAL SERVICE GROUP

Engine Oil Cooler (NHA)	•
Additional Key Fob (XCG)	•
Remote Keyless Entry (GXM)	•
Instrument Cluster with Certified Speedometer and Engine Hour/Idle Meter (JA4)	•
Cruise Control <sup>(10)</sup> (NHM)	•
Unique Headliner and Auxiliary Red/White Dome Lamp	•

• = Standard.



RamBox® dimensions (both sides): A: 14.4 in. B: 51.6 in. C: 18.9 in. Shown with aftermarket front push bumper.

All dimensions given in inches.

## EXTERIOR COLORS

SPECIAL LOW-VOLUME PAINTS ARE ALSO AVAILABLE. SEE YOUR DEALER FOR DETAILS.



## WHEELS



17-inch Argent Steel  
Standard (WFP)



17-inch Painted Aluminum  
Available (WFE)

SELECTED FEATURES AND OPTIONS	NOTES
<b>POWERTRAIN</b>	
5.7L HEMI® V8 with Multi-Displacement System (MDS) Fuel Saver Technology and Variable Valve Timing (VVT) (EZH) 6-speed Automatic (DG1)	25D
<b>MECHANICAL FEATURES</b>	
Alternator — 220-amp (BAJ)	•
Axle — 3.55 ratio, standard (DMD); 3.92 ratio, available (DMH)	•/0
Battery — 730-amp (BCN)	•
Engine Cooling — Heavy-duty (NMC)	•
Fuel Tank — 26-gallon, standard (NFW); 32-gallon, available (NFX)	•/0
Shock Absorbers — Heavy-duty front (SFB) and rear (SGB)	•
Smart Start Control — Prevents starter operation while engine is running	•
Stabilizer Bars — Front (SHA) and rear (SHF)	•
Steering — Electronic power rack and pinion (SBA)	•
Suspension — Front, upper and lower A-arms, coil springs, twin-tube shocks	•
— Rear, multilink, coil springs, twin-tube shocks	•
Trailer Hitch — Class IV with 4- and 7-pin harness connector (XFH)	•
Transfer Case — Electronic part-time (DH9)	•
Winch — Tire carrier (TBM)	•
<b>EXTERIOR FEATURES</b>	
Air Dam — Flexible 38-mm	•
Bed Rail Caps — Top covers for bed sides	•
Body Model — Crew Cab 5'7" box	•
Bumpers — Black, front (MB1) and rear (MBN)	•
Door Handles — Black (MNA)	•
Fascia — Front, upper Black (MCL)	•
Glass — Tinted windows (GAC)	•
Grille — Black surround, Black hex-link (MFF)	•

SELECTED FEATURES AND OPTIONS	NOTES
<b>EXTERIOR FEATURES (CONTINUED)</b>	
Headlamps — Automatic (LMG)	•
— Quad lens, halogen (LME)	•
RamBox® Cargo Management System — Includes two locking, lighted, drainable bins, cargo bed extender/divider and cargo rails with adjustable tie-down cleats (XB9)	0
Tailgate — Locking, removable, with lift assist (XJJ)	•
Tires — P265/70R17 BSW All-Season (TTM)	•
— LT265/70R17E OWL On/Off-Road (TXN)	0
— Spare, full-size (TBB)	•
Wheels — Steel spare	•
— 17- x 7-inch styled steel, painted Argent (WFP)	•
— 17- x 7-inch aluminum (included with Exterior Appearance Group) (WFE)	P
Windshield Wipers — Variable/intermittent (JHA)	•
<b>INTERIOR FEATURES</b>	
Air Conditioning (HAA)	•
Assist Handle — Driver and passenger-side (CSP)	•
Bezel — Center stack, Black (JBF)	•
Cluster — Instrument, with certified speedometer (JA4)	•
Defroster — Rear window (GFA)	0
Door Locks — Power (JPB)	•
Floor Covering — Heavy-duty vinyl (CKJ)	•
Lighting — Ambient, switches, interior mirror, Blue LED	•
— Courtesy, dome light, incandescent	•
Mirrors, Interior Rearview — Day/night manual (GNA)	•
Power Accessory Delay (JKY)	•
Power Outlets — Two, 12-volt auxiliary (JJJ)	•
— 115-volt auxiliary (JKV)	•

SELECTED FEATURES AND OPTIONS	NOTES
<b>INTERIOR FEATURES (CONTINUED)</b>	
Seats — 10-way power driver's	•
— Cloth bucket front seats with 10-way power adjustment for driver, 115-volt auxiliary power outlet, center console delete, folding rear bench seat trimmed in vinyl (*D5)	•
— Cloth 40/20/40 front bench seat with 10-way power adjustment for driver, 115-volt auxiliary power outlet, folding rear seat trimmed in vinyl (*D7)	0
Speed Control (NHM)	•
Steering — Tilt column (SUA)	•
Steering Wheel — Urethane (SCF)	•
Storage — Rear, in-floor storage bins, two with removable liners (CB9)	•
— Rear, underseat compartment (CUE)	•
Tip Start — One-step starting feature (XBN)	•
Turn Signals — One-touch/three-blink lane-change feature	•
Windows — Power, front and rear with driver's one-touch up and down (JP3)	•
<b>UCONNECT® MULTIMEDIA</b>	
Connectivity — Auxiliary input jack for mobile devices (included with bench seat (*D7))	P
— 1.5-amp fully functioning USB port (included with bench seat (*D7))	P
Radio — 3.0 AM/FM (RA1)	•
— Uconnect 5.0 AM/FM/Bluetooth® (RA2)	0
Speaker System — Six (RC6)	•

SELECTED FEATURES AND OPTIONS	NOTES
<b>SAFETY &amp; SECURITY</b>	
Air Bags <sup>(4)</sup> — Advanced multistage front <sup>(4)</sup> (CG3)	•
— Supplemental side-curtain <sup>(4)</sup> (CGS)	•
— Supplemental front-seat-mounted side <sup>(4)</sup> (CJ1)	•
Brake Override	•
Brakes — Power-assisted 4-wheel antilock disc (BRT)	•
Electronic Stability Control (ESC) <sup>(5)</sup> — Includes ABS, Brake Assist, All-Speed Traction Control, Rain Brake Support, Ready Alert Braking, Electronic Roll Mitigation, Hill Start Assist <sup>(6)</sup> and Trailer Sway Damping <sup>(5)</sup> (BNB)	•
Seat Belts — Front, shoulder height-adjustable (CGD) (LAX)	•
Sentry Key® Theft Deterrent System — Engine immobilizer (GXX)	•
Tire Pressure Monitoring Display (XGM)	•
<b>PACKAGE GROUPS</b>	
Exterior Appearance Group — Includes chrome front and rear bumpers, chrome grille surround and 17-inch painted aluminum wheels (AED)	0
Remote Start and Security Group — Includes security alarm and Remote Start System (AJB)	0
Special Service Group — Crew Cab 4x4 only; includes 5.7L HEMI® V8 with 6-speed automatic transmission, 220-amp alternator, (*D5) 40/40 cloth bucket front seats with rear vinyl bench seat, center console delete, engine oil cooler, additional key fob, remote keyless entry, color-keyed instrument panel bezel, special certified instrument cluster and fixed rear window (AHB)	•

• = Standard. P = Available within Package noted in parentheses. 0 = Optional.  
NOTE: some features and/or applications may be late availability.

**DODGE DURANGO SPECIAL SERVICE GROUP**

5.7L HEMI® V8 with Multi-Displacement System (MDS) Fuel Saver Technology and Variable Valve Timing (VVT): 360 hp and 390 lb-ft of Torque	•
115-volt Auxiliary A/C Outlet (JJM)	•
220-amp Alternator (BAJ)	•
Additional Key Fob (XCH)	•
Cruise Control <sup>(10)</sup> (NHM)	•
Daytime Running Lamps (LM1)	0
Engine Oil Cooler (NHA)	•
Reinforced Door Hinges	•
Remote Keyless Entry (GXM)	•
Spot Lamp Wiring Prep (LNQ)	•
Unique Headliner and Auxiliary Red/White Dome Lamp	•

• = Standard, 0 = Optional.



**DIMENSIONS/SPECIFICATIONS\***

Approach Angle (degrees)	16.3
Breakover Angle (degrees)	18.1
Cargo Volume Behind 1st Row with Rear Seats Folded (cu ft)	84.5
Cargo Volume Behind 2nd Row (cu ft)	47.7
Departure Angle (degrees)	21.5
Track (front)	63.9
Fuel Tank Capacity (gal)	24.6
Ground Clearance	8.1

**DIMENSIONS/SPECIFICATIONS\* (CONTINUED)**

Overall Length	201.2
Overall Height (at roof panel / at antenna)	70.9 / 71.9
Overall Width (at mirrors)	85.5
Track (rear)	64.1
Wheelbase	119.8
<b>INTERIOR</b>	
Head Room — 1st / 2nd Row	39.9 / 39.8
Hip Room — 1st / 2nd Row	57.0 / 42.8
Leg Room — 1st / 2nd Row	40.3 / 38.6
Seating Capacity (adults) — 1st / 2nd Row	2 / 3
Shoulder Room — 1st / 2nd Row	58.5 / 50.4
Trailer Towing (lb)	
AWD	3.6L V6 6,200 5.7L V8 7,200
RWD	3.6L V6 6,200 5.7L V8 7,400

\*All dimensions are in inches unless otherwise noted.



Shown with aftermarket front push bumper and light bar.

All dimensions given in inches.

## EXTERIOR COLORS



## WHEEL



18-inch Satin Carbon  
Standard (WPH)

SELECTED FEATURES AND OPTIONS	NOTES
<b>MECHANICAL FEATURES</b>	
Engine — 3.6L Pentastar® V6 with 8-speed Automatic Transmission ( <b>ERC</b> )	•
— 5.7L HEMI® V8 with 8-speed Automatic Transmission ( <b>EZH</b> )	0
Exhaust System — Single rear exhaust on right side	•
— Dual rear exhaust with bright tips (packaged with 5.7L HEMI V8 engine) ( <b>NEX</b> )	•
All-Wheel-Drive Systems — Single-speed, full-time AWD includes NV140 transfer case (packaged with 3.6L V6 engine; AWD models only) ( <b>DHY</b> )	•
— Two-speed, active-on-demand AWD (packaged with 5.7L HEMI V8 engine; AWD models only) ( <b>DKA</b> )	•
Fuel Tank — 24.6-gallon with power-locking fuel door ( <b>NF4</b> )	•
Alternator — Heavy-duty 220-amp ( <b>BAJ</b> )	•
Battery — 650-amp (packaged with 3.6L Pentastar V6 and Stop/Start) ( <b>BCZ</b> )	•
— 800-amp (packaged with 5.7L HEMI V8) ( <b>BCF</b> )	•
Brakes — Upgraded heavy-duty brake package ( <b>BR8</b> )	•
Engine Cooling — Upgraded heavy-duty ( <b>NMC</b> )	•
Wiring Prep — Exterior spot lamp ( <b>LNQ</b> )	•
Suspension — Rear load-leveling ( <b>SES</b> )	•
<b>EXTERIOR FEATURES</b>	
Fascia — Body-color with accent-color lower, includes bright insert on front fascia lower opening ( <b>MLH</b> )	•
Grille — Brilliant Black surround and insert, black texture ( <b>MFF</b> )	•
License Plate Brow — Chrome, with Dodge logo, license plate lamps and lock button	•
Liftgate — Manual with lock cylinder	•
Liftgate Spoiler — Body-color, includes CHMSL	•

SELECTED FEATURES AND OPTIONS	NOTES
<b>EXTERIOR FEATURES (CONTINUED)</b>	
Lighting, Exterior — Round fog lamps, integral with front fascia ( <b>LNN</b> )	•
— Automatic headlamps (on/off) actuate when ambient light is at low levels, includes headlamps-on-with-wipers feature ( <b>LMG</b> )	•
— Halogen headlamps ( <b>LMB</b> )	•
— Chrome headlamp bezels ( <b>MFP</b> )	•
Mirrors, Exterior — Power, manual, foldaway with heating element ( <b>GTS</b> )	•
Sill Moldings — Accent-color with bright insert ( <b>MRF</b> )	•
Wheel Lip Moldings — Accent-color ( <b>MRD</b> )	•
Wheels — 18-inch painted Tech Silver wheels ( <b>WPH</b> )	•
Wiper System — Front, variable/intermittent with one-gallon fluid capacity ( <b>JHA</b> )	•
— Rear, with fixed intermittent and continuous speeds, with washer ( <b>JHB</b> )	•
<b>INTERIOR FEATURES</b>	
Air Conditioning — Tri-Zone Automatic Temperature Control, includes infrared sensors and rear-seat outlets ( <b>HAH</b> )	•
Air Filtration System ( <b>JMA</b> )	•
Cargo Area — Carpeted, with storage tray and cargo tie-down loops in floor, driver's-side storage bin, 12-volt auxiliary power outlet	•
Console — Overhead front with two LED map lamps, dome lamp with red and white lighting ( <b>CUN</b> )	•
— Full-length front floor console with two illuminated cup holders, two-tier armrest storage ( <b>CUF</b> )	•

SELECTED FEATURES AND OPTIONS	NOTES
<b>INTERIOR FEATURES (CONTINUED)</b>	
Lighting, Interior — Glove box lamp, front fixed LED map lamps, 2nd-row directional LED map lamps, courtesy door lamps, overhead console, rear passenger overhead reading/courtesy lamps, cargo compartment lamp, Sapphire Blue interior switch lighting and Sapphire Blue ambient LED lighting for the front door, inside handles and map pockets	•
Rearview Mirror — Day/night ( <b>GN5</b> )	•
Seating — Five-passenger configuration only ( <b>CYD</b> )	•
Seats — Gradual mesh cloth low-back bucket seats with Carolina cloth bolsters (*K7)	•
— Power eight-way adjustable driver's seat ( <b>JPR</b> )	•
— Power four-way driver's lumbar adjuster ( <b>JPU</b> )	•
— Manual-adjusting passenger seat	•
— Front-passenger fold-flat seat ( <b>CDW</b> )	•
Seats, 2nd-row — 60/40 split Fold-and-Tumble, with head restraints <sup>(7)</sup> for the outboard seating positions ( <b>CFN</b> )	•
Steering Wheel — Leather-wrapped, with audio and speed controls ( <b>RDZ</b> )	•
— Tilt/telescoping steering column ( <b>SUD</b> )	•
<b>SAFETY &amp; SECURITY</b>	
Air Bags <sup>(4)</sup> — Advanced multistage <sup>(4)</sup> driver and front-passenger, inflate with a force appropriate to the severity of the frontal or near-frontal impact ( <b>CG3</b> )	•
— Advanced side-curtain <sup>(4)</sup> provide additional protection to front and rear outboard occupants in the event of a rollover ( <b>CJ5</b> )	•
— Advanced supplemental front-seat-side <sup>(4)</sup> provide additional protection in the event of a side-impact collision ( <b>CGS</b> )	•
— Driver's-side-inflatable knee bolster <sup>(4)</sup> ( <b>CGY</b> )	•

SELECTED FEATURES AND OPTIONS	NOTES
<b>SAFETY &amp; SECURITY (CONTINUED)</b>	
Electronic Stability Control (ESC) <sup>(5)</sup> — Includes Vehicle Stability Management System, Electronic Roll Mitigation, All-Speed Traction Control, Brake Assist and four-channel antilock brake system (ABS) ( <b>BNB</b> )	•
Hill Start Assist <sup>(6)</sup> — Prevents vehicle from rolling back for two seconds when starting on an incline ( <b>BNG</b> )	•
Power Outlets — Two 12-volt, located on the instrument panel and in the rear cargo compartment ( <b>JKP</b> ) ( <b>JJM</b> )	•
Ready Alert Braking — Anticipates situations when the driver may initiate an emergency stop and uses the ESC <sup>(5)</sup> pump to set the brake pads against the rotors, decreasing the time required for full brake application ( <b>BHD</b> )	•
Sentry Key® Antitheft Engine Immobilizer — Electronic transponder in key determines if valid key is being used to start the vehicle ( <b>GXX</b> )	•
Speakers — Six (two instrument panel-mounted 2.5-inch tweeters, two front door 6- x 9-inch full-range speakers, two rear-door 6.5-inch full-range speakers) ( <b>RCG</b> )	•
Trailer Sway Control <sup>(5)</sup> — Works in tandem with ESC <sup>(5)</sup> to help improve handling in adverse towing conditions caused by crosswinds and traffic ( <b>BNT</b> )	•
Uconnect® 5.0 Radio — With AM/FM, Bluetooth® and auxiliary input ( <b>RA2</b> )	•
<b>PACKAGES AND EQUIPMENT GROUPS</b>	
ParkView® Rear Back-Up Camera <sup>(1)</sup> ( <b>XAC</b> )	0
Skid Plate Group — Includes skid plates for the fuel tank, transfer case, front suspension and front tow hooks (AWD models only) ( <b>ADL</b> )	0
Trailer Tow Group IV — Includes Class IV hitch receiver, 4- and 7-pin wiring harness, and a full-size spare tire ( <b>AHX</b> )	0

• = Standard. 0 = Optional.

NOTE: some features and/or applications may be late availability.


**DIMENSIONS\* RAM PROMASTER® 3500 CARGO VAN  
HIGH ROOF 159-INCH EXTENDED WHEELBASE**

GVWR (lb)	9,350
Load Floor Length	160.2
Max Payload (lb) (gas engine)	4,340
Overall Length	250.5
Overall Roof Height	99.4
Rear Door Swing (degrees)	260
Rear Doors Opening Height	70.5
Rear Doors Opening Width	61.5
Side Door Opening Height	69.0
Side Door Opening Width	49.2
Track (rear)	77.6
Vertical Interior Height	76.0
Vehicle Width with Mirrors Extended	105.9
Vehicle Width without Mirrors	80.7
Wheelbase	159.0

**INTERIOR DIMENSIONS\***

	HIGH ROOF
Interior Height	76.0
Total Cargo Volume (cu ft)	462.8
Width at Side Panel	75.6
Width at Wheel Well	56.0

\*All dimensions are in inches unless otherwise noted. Dimensions are based on 2016 model-year vehicle.


**RAM PROMASTER 3500 CARGO VAN HIGH ROOF 159-INCH EXTENDED WHEELBASE**

ENGINES	TRANSMISSIONS	AXLE RATIO	GVWR	PAYLOAD**†	BASE CURB WEIGHT		GAWR		GCWR‡	MAX TOWING§¶	CURB-TO-CURB TURNING (FT)
					TOTAL	FRONT	REAR				
3.6L Gasoline V6 VVT	6-speed Automatic 62TE	3.86	9,350	4,340	5,009	4,629	5,291	11,500	5,100	46.8	
3.0L Diesel I4 Turbo	6-speed Dual Active Drive Automated Manual	4.56	9,350	4,020	5,322	4,629	5,291	12,500	5,100	46.8	

Notes: all the Payload and Maximum Trailer Weights are ESTIMATED values. All dimensions are in pounds (lb) unless otherwise noted. \*Payload is rounded down to the nearest 10 lb. Payload = GVWR – Base Wt. †Payload and Maximum Trailer Weight are mutually exclusive. ‡GCWR is a defined value from vehicle development in lb. §The recommended tongue weight is 10% for a conventional hitch and 20% for 5th-wheel or gooseneck. ¶Aftermarket hitch weight is not included in the Maximum Trailer Weight. Additionally, the hitch rating and the GAWRs and GVWRs should never be exceeded.

7' 5"


6' 5"

5' 5"

4' 5"

3' 5"

2' 5"

159  
250.5

All dimensions given in inches.

# EXTERIOR COLORS



# WHEELS



16-inch Steel Wheel  
with Center Cap  
Standard (WCS) and (WMN)



16-inch Aluminum Wheel  
Optional (WDN)



16-inch Wheel Cover  
Optional (W6A)

## SELECTED FEATURES AND OPTIONS

## ENGINES AND TRANSMISSIONS

	Cargo	Windowed	Chassis Cab	Cutaway	Notes
3.0L EcoDiesel I4 Engine with 6-speed Dual Active Drive Automated Manual Transmission (EXG)	0	0	0	0	
3.6L Pentastar® V6 Engine with 6-speed Automatic Transmission (ERB)	•	•	•	•	

## MECHANICAL FEATURES

	Cargo	Windowed	Chassis Cab	Cutaway	Notes
Alternator — 180-amp (BAD)	•	•			
— 220-amp (packaged with 3.0L EcoDiesel I4) (BAJ)	0/•	0/•	•	•	
Auxiliary Switches — Two (LHL)	0	0	0	0	
Battery — 95-amp (BCY)	•	•	•	•	
— 100-amp (packaged with 3.0L EcoDiesel I4) (BDC)	P	P	P	P	
Auxiliary Battery Prep (BC1)	0	0	0	0	
Cruise Control <sup>(10)</sup> (NHM)	0	0	0	0	
Electronic Stability Control (ESC) <sup>(5)</sup> (BNB)	•	•	•	•	
Engine Block Heater (includes transmission heater when equipped with 3.0L EcoDiesel I4) (NHK)	0	0	0	0	
Speed Limiter — 60-mph, 65-mph, 70-mph and 77-mph (dealer-activated) (NHR)	•	•	•	•	

## EXTERIOR FEATURES

	Cargo	Windowed	Chassis Cab	Cutaway	Notes
Cab-back Wall			•		
Daytime Running Lamps (LMK)	0	0	0	0	
Doors, Rear — 260-degree-opening (GLF)	•	•			
Extended Wiring — Taillamp (XGF)			•	•	
Front License Plate Bracket (MDA)	0	0	0	0	
Halogen Headlamps (LMA)	•	•	•	•	
Mirrors — Manual adjustable, manual foldaway (GTP)	•	•	•	•	
— Power adjustable, heated (GTB)	0	0	0	0	
— Power adjustable/power folding, heated (GTR)	0	0			

## SELECTED FEATURES AND OPTIONS

## EXTERIOR FEATURES (CONTINUED)

	Cargo	Windowed	Chassis Cab	Cutaway	Notes
Roof Clearance Lamps — Front (LNC)	•	•	•	•	
— Rear (LNG)	•	•			
— Delete front clearance lamps (LT8)			0	0	
Step — Rear bumper extension (MDM)	0	0			
— Side sliding door (right) (MRZ)	0	0			
— Side sliding door (left) (requires left side sliding door) (MR3)	0	0			

## INTERIOR FEATURES

	Cargo	Windowed	Chassis Cab	Cutaway	Notes
12-volt Auxiliary Power Outlet — Front (JJJ)	•	•	•	•	
— Rear (JKP)	0	0			
Air Conditioning — Manually controlled, with heat (HAA)	•	•	•	•	
— Delete air conditioning; heater only (HCD)	0	0	0	0	
Cargo Compartment Floor Mat (CKL)	0				
Cargo Lamps — Rear (LPE)	•	•			
Cargo Area Lighting — LED (LCP)	0	0			
Cargo Partition — None (CTP)	•	•			
— With sliding window (XJ1)	0				
— Without window (CWC)	0				
Cargo Tie-downs — Floor	•	•			
Rear Heater and Air Conditioning Prep (HDG)	0	0	0	0	
Seating Surfaces — Cloth (*A7)	•	•	•	•	
— Cloth/vinyl (*B7)	0	0	0	0	
Seats — 4-way manually adjustable driver and front-passenger bucket (CDN) (CDT)	•	•	•	•	
— Driver 6-way adjustable with lumbar (not available with driver suspension seat or passenger swivel seat) (CDL)	0	0	0	0	

## SELECTED FEATURES AND OPTIONS

## INTERIOR FEATURES (CONTINUED)

	Cargo	Windowed	Chassis Cab	Cutaway	Notes
— Driver/passenger 6-way adjustable with lumbar adjuster (not available with passenger double seat or driver suspension seat) (CDU)	0	0	0	0	
— Driver suspension (not available with driver swivel seat, heated driver seat or 6-way adjustable seat) (CXX)	0	0	0	0	
— Driver swivel (requires cloth seating surfaces, not available with passenger double seat, cargo partition or heated seat) (CEA)	0	0	0	0	
— Heated driver (requires 6-way adjustable driver seat) (CMB)	0	0	0	0	
— Heated passenger (requires 6-way adjustable driver/passenger seats) (CMC)	0	0	0	0	
— Passenger double (CAA)	0	0			
— Passenger seat delete (CD9)	0	0	0	0	
— Passenger swivel (requires cloth seating surfaces and driver swivel seat; not available with cargo partition or heated seat) (CHR)	0	0	0	0	
Spray-on Floor Liner (XMF)	0	0			
Steering Column — Telescoping (SUC)	•	•	•	•	
Steering Wheel — Leather-wrapped (SCC)	0	0	0	0	
Tire Pressure Monitoring Light (XGM)	•	•	•	•	
Upfit Interface Connectors (BC3)	0	0	0	0	
Wall Panels — Full side (CTE)	0				
— Lower side (CMG)	0	0			
Windows — Power (JPY)	•	•	•	•	
Wood Floor — Rear (CME)	0	0			
<b>MULTIMEDIA</b>					
AM/FM/MP3 (RH3)	•	•	•	•	

## SELECTED FEATURES AND OPTIONS

## MULTIMEDIA (CONTINUED)

	Cargo	Windowed	Chassis Cab	Cutaway	Notes
Uconnect® 5.0 (includes steering wheel-mounted audio controls and Integrated Voice Command <sup>(3)</sup> with Bluetooth®) (RA2)	0	0	0	0	
SiriusXM® Satellite Radio <sup>(11)</sup> (requires Uconnect system) (RSD)	0	0	0	0	
Navigation (requires Uconnect 5.0) (JLN)	0	0	0	0	
Uconnect Web (XG5)	0	0	0	0	
<b>SAFETY &amp; SECURITY</b>					
Air Bags <sup>(4)</sup> — Six (CG3) (CJ1) (CJ4)	•	•	•	•	
DOT-certified Roadside Safety Kit (ACL)	0	0	0	0	
ParkSense® Rear Park Assist <sup>(1)</sup> (XAA)	0	0			
ParkView® Rear Back-Up Camera <sup>(1)</sup> (requires Uconnect 5.0) (XAC)	0	0			
Rear Camera Wiring Prep (XA3)	•	•	0	0	
Security Alarm (LSA)	0	0	0	0	
Rear Back-Up Alarm <sup>(1)</sup> (XAW)	0	0	0	0	
Remote Start (requires 3.6L V6 engine) (JIL)	0	0	0	0	
<b>PACKAGES AND EQUIPMENT GROUPS</b>					
Cargo Convenience Group — Includes side-wall cargo tie-down rings and cargo net (AWF)	0	0			
Cold Weather Front Grille Cover — 3.0L EcoDiesel I4 only (XD6)	0	0	0	0	
Interior Convenience Group — Includes non-locking underseat storage tray, windshield document holder, shelf above roof trim and locking glove box (AJV)	0	0	0	0	
Premium Appearance Group — Includes Chrome grille and fog lamps (ALU)	0	0	0	0	
Smoker's Group — Includes removable ashtray and cigar lighter (AWS)	0	0	0	0	
Trailer Tow Group — Class IV hitch receiver and 4- and 7-pin wiring harness (AHT)	0	0			

• = Standard. 0 = Optional. P = Available within Package noted in parentheses.



**SERVING** WITH STRENGTH, SAFETY AND



# SECURITY

OUR LAW IS FOUNDED ON THE STRENGTH OF OUR COMMITMENT | EMPLOYING HIGHER TECHNOLOGY FOR GREATER AUTHORITY  
LAYING DOWN THE LAW: PERFORMANCE – SAFETY – INTEGRITY | UNCOMPROMISING PRINCIPLES MEET UNSTOPPABLE  
PERFORMANCE | SAFELY PROTECTING THOSE WHO PROTECT AND SERVE | THE NEW BENCHMARK FOR SPECIAL SERVICE VEHICLES

This document is a publication of FCA US LLC. All product illustrations and specifications are based upon current competitive information at the time of publication approval. FCA US LLC reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, colors and materials, and to change or discontinue models which are considered necessary to the purpose of product improvement or for reasons of design and/or marketing.

©2015 FCA US LLC. All Rights Reserved. Chrysler, Dodge, Ram, Mopar, HEMI, Durango, Charger, Charger Pursuit, the Ram's Head logo, Pentastar, ParkSense, ParkView, Ram ProMaster, RamBox, Sentry Key, TorqueFlite and Uconnect are registered trademarks, and Keyless Enter 'n Go is a trademark of FCA US LLC.

Bluetooth is a registered trademark of Bluetooth SIG, Inc. Goodyear is a registered trademark of The Goodyear Tire & Rubber Company. SiriusXM and all related marks and logos are trademarks of SiriusXM Radio Inc.

(1) Always look before proceeding. An electronic drive aid is not a substitute for conscientious driving. Always be aware of your surroundings. (2) Based on the latest available competitive information. Class is based on Large Commercial Van segment (Class 2). (3) Requires a mobile phone equipped with the Bluetooth Hands-Free Profile. Visit UconnectPhone.com for system and device compatibility. (4) The Advanced Front Air Bags in this vehicle are certified to the new U.S. federal regulations for advanced air bags. Children 12 years old and younger should always ride buckled up in a rear seat. Infants in rear-facing child restraints should never ride in the front seat of a vehicle with a passenger front air bag. All occupants should always wear their lap and shoulder belts properly. (5) No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESC warning lamp flashes, the driver needs to use less throttle and adapt speed and driving behavior to prevailing road conditions. Always drive carefully, consistent with conditions. Always wear your seat belt. (6) There may be situations on minor hills (i.e. less than 8% grade) with a loaded vehicle, or while pulling a trailer, when the system will not activate and slight rolling may occur. This could cause a collision with another vehicle or object. Always remember the driver is responsible for braking the vehicle. (7) Always sit properly with the head restraint properly adjusted. Never place anything in front of the head restraint. (8) Transferable. See your dealer for complete details and a copy of the 3-Year/36,000-Mile Powertrain Limited Warranty. (9) EPA estimates. Actual mileage may vary. (10) This system is a driver convenience system, not a substitute for active driver involvement. The driver must remain aware of traffic conditions and be prepared to use the brakes to avoid collisions. (11) SiriusXM subscriptions for audio and data services are sold by SiriusXM to follow your trial subscription. If you decide to continue listening after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call SiriusXM at 1-866-635-2349. See the SiriusXM Customer Agreement for complete terms and more information at [www.siriusxm.com](http://www.siriusxm.com). All fees and programming subject to change. Your equipment and features for SiriusXM services will vary depending upon the vehicle you select and may be limited in select markets.